



Lady Reading Hospital (LRH)
Medical Teaching Institution (MTI)
Peshawar
Contact No: 091-9211927

BID SOLICITATION DOCUMENTS
For
MULTIMEDIA ITEMS & OTHER ACCESSORIES 2024-2025

Note: The prospective bidder is expected to examine the Bidding Documents carefully, including all Instructions, Terms & Conditions, and Specifications etc. Failure to furnish all information required by the Bidding documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect would result in the rejection of the Bid.

Manager Material Management
LRH/MTI Peshawar

AD Legal
LRH/MTI Peshawar

System Engineer
LRH/MTI Peshawar

Manager Operations IT
LRH/MTI Peshawar

Nursing Director
LRH/MTI Peshawar

Director Finance
LRH/MTI Peshawar

Associate Hospital Director
LRH/MTI Peshawar

Medical Director
LRH/MTI Peshawar

Hospital Director
LRH/MTI Peshawar

TABLE OF CONTENTS

S #	Contents	Page #
1.	Introduction	02
2.	Instruction to Bidders	02
3.	General Conditions	03-04
4.	Eligibility Criteria	5
5.	Invitation for Bids	06
6.	Bid Security	06
7.	Bid Validity	06
8.	Blacklisting of Defaulted Bidder/Contractor	07
9.	Statement of Requirement with Specification	8-13
10.	Redressing of Grievances	14
11.	Evaluation Criteria	14
12.	Award of Contract	14
13.	Payment	14

1. INTRODUCTION:

Lady Reading Hospital-Medical Teaching Institution (LRH-MTI) Peshawar invites item wise sealed bids from the Manufacturer/Authorized Dealers for procurement of “**Multimedia Items & Other Accessories 2024-2025**” for Hospital Open Competitive Bidding under rule 6(2) (b) “**Single Stage Single Envelope**” bidding procedures of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.

2. INSTRUCTIONS TO BIDDERS:

1. This Bidding procedure will be conducted in light of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Laws, Rules made there under along with Standard Bidding Documents.
2. The bids will be opened on **11/03/2025 at 11:30 AM** in the presence of the bidders / representatives who choose to attend.
3. Pre-bid meeting with the interested bidders was held on **27/02/2025 at 11:00 AM** in the Conference Room / MMD Office of the Institution.
4. Any bid received after the deadline for submission of bids shall not be entertained and shall be returned unopened to the Bidder.
5. The bid should be complete in all respect and must be signed by the bidder.
6. All prices quoted must be in Pak Rupees (PKR) and should include all taxes applicable by govt (at any stage of Tender Process/till the validity of rates). If not specifically mentioned in the Quotation, it will be presumed that the prices include all the taxes.
7. Bidders are essentially required to provide correct and latest postal / email / web addresses, phone / mobile / fax numbers for actively and timely communication.
8. For any query, clarification regarding Services / Bid Solicitation Documents, the applicants may send a written request at least one day prior to the opening date.
9. Any bid not received as per terms and conditions laid down in this document are liable to be ignored. No offer shall be considered if:
 - a. Received without earnest money;
 - b. It is received after the date and time fixed for its receipt;
 - c. The offer is ambiguous;
 - d. The offer is conditional i.e. advance payment, or currency fluctuations etc.;
 - e. The offer is from blacklisted firm in any Federal / Provincial Govt. Deptt:
 - f. Only typed tender on original prescribing letter pad, sealed & signed (Every Page) should be submitted, the quoted Price must be preprinted and hand written quoted price will not be acceptable. The tenders must be according to hospital specification; alternate rates will not be acceptable
10. Usage of correction fluid & corrections are strictly prohibited unless duly initiated.
11. Any erasing / cutting etc. appearing on the offer, must be properly signed by the person signing

the tender.

12. Bids will be rejected if the Bid is in some way connected with bids submitted under names different from his own.
13. In case of Bid Tie, the decision will be taken by making toss / draw / Recall sealed quotation in front of the bidders.
14. Any direct or indirect effort by a bidding firm to influence this institution during the process of selection of a bidder or award of contract may besides rejection of its bid result into its disqualification from participation in the LRH Peshawar's future bids.

3. GENERAL CONDITIONS: -

1. LRH-MTI Peshawar shall evaluate the proposal in a manner prescribed in advance, without reference to the price and reject any proposal which does not conform to the specified requirements.
2. Alternative bid shall not be considered and shall be rejected by the Competent Authority.
3. LRH-MTI Peshawar may increase or decrease the quantity of the items required, as per KPPRA rules.
4. At any time prior to the deadline for submission of bids, LRH-MTI Peshawar may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the bidding documents by amendment.
5. If a bid is not substantially responsive, it will be rejected by the Procuring Entity and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
6. LRH-MTI Peshawar may accept or reject any or all of the bids under Rule 47 of KPPRA Rules, 2014.
7. Additional documents will not be acceptable after Bid Submission.
8. **Rates will be valid till 30th June 2025.**

4. ELIGIBILITY CRITERIA:

Bidders must give compliance to the below mentioned clauses as these are mandatory to being eligible for the bidding process. Relevant certificates must be attached.

1. Computerized National Identity Card (photo-copy).
2. The bidder must be registered with Income / Sales Tax Department, reflected as Active Tax Payer on the list of FBR.NTN/KNTN and Professional tax.
3. The bidder shall provide an undertaking that the bidder has not been declared blacklisted by any Governmental / Semi-Governmental institutions.

4. Firm Incorporation Certificate

5. Bidders shall not be eligible to bid if they are under a declaration of Ineligibility for corrupt and fraudulent practices issued by any government organization in accordance with the Section 44(1) KPP Rules 2014.

INVITATION FOR BIDS
Lady Reading Hospital
Medical Teaching Institute
Peshawar
Phone: 091-9211927

5. INVITATION FOR BIDS

Hospital Director, Medical Teaching Institute, **Lady Reading Hospital Peshawar** invites sealed bids from Manufacturer/Importers/Authorized Distributors under National Competitive Bidding for the procurement of “**Multimedia items & Other Accessories 2024-2025**” for Hospital, under rule 6(2)(b) “**Single Stage Single envelope procedure**” of KPPRA Rules 2014, from Manufacturer/Authorized Dealers registered with the Income / Sales tax, reflected on Active Taxpayer List of FBR.

The bidders are required to submit bid security @ **200,000/-** in the name of Hospital Director LRH-MTI Peshawar. Pre-bid meeting with the interested bidders was held on **27/02/2025 at 11:00 AM** at Material Management Department of the institution.

The tenders complete in all respect must reach the undersigned by **11:00 AM on 11/03/2025**, which will be opened at 11:30 AM on the same day in conference room / AHD office of the Hospital in the presence of the procurement committee and the bidders / representatives who may choose to attend.

Competent Authority reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Rules 2014.

6. BID Security

- i. Bid security @ **200,000/-**(refundable) drawn in favor of “
Hospital Director LRH-MTI Peshawar”
- ii. Pay Order (PO) is not acceptable.

The bid security may be forfeited:

- i) If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or
- ii) In the case of a successful Bidder, if the Bidder fails to sign the contract or to furnish performance Guarantee.

7. BID VALIDITY:

- i) The bids should be valid for **90 days**.
- ii) In exceptional circumstances, LRH-MTI Hospital may solicit the Bidder’s consent to an extension of the period of validity reasons shall be recorded in writing. The request and the responses there to shall be made in writing. The bid security provided shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.

8.BLACKLISTING OF DEFAULTED BIDDER/CONTRACTOR

Conditions for Blacklisting of Defaulted Bidder/Contractor under rule 44 of KPPRA Rules 2014

The following are the events which would lead to initiate (Rule 44 of KPPRA Rules 2014) blacklisting/debarment process;

- Consistent failure to provide satisfactory performances.
- Found involved in corrupt/fraudulent practices.
- Abandoned the place of work permanently

Conditions for debarment of Defaulted Bidder/Contractor

Failure or refusal to;

- Accept Purchases Order / Services order terms;
- Make supplies as per specifications agreed;
- Fulfill contractual obligations as per contract
- Non execution of work as per terms & condition of contract.
- Any unethical or unlawful professional or business behavior detrimental to good conduct and integrity of the public procurement process.
- Persistent and intentional violation of important conditions of contract.
- Non-adherence to quality specifications despite being importunately pointed out.
- Security consideration of the State i.e., any action that jeopardizes the security of the State or good repute of the LRH- MTI Peshawar.

Procedure for blacklisting and debarment

1. Competent authority of Lady Reading Hospital -MTI Peshawar may on information, or on its own motion, issue show cause notice to the bidder.
2. The Show Cause notice shall contain the statement of allegation against the Bidder.
3. The bidder will be given maximum of seven days to submit the written reply of the show cause notice.
4. In case the bidder fails to submit written reply within the requisite time, the competent authority may proceed forth with ex-pa rte. against the bidder.
5. Direct to issue notice of personal hearing to the bidder/ authorized representative of the bidder and the competent authority shall decide the matter on the basis of available record and personal hearing, if availed.
6. The competent authority shall decide the matter within thirty days from the initiation of proceedings.
7. The order of competent authority shall be communicated to the bidder by indicating reasons.
8. The order past as above shall be duly conveyed to the KPPRA and defaulting bidder within three days of passing order.
9. The duration of debarment may vary up to five years depending upon the nature of violation.

9. STATEMENT OF REQUIREMENT WITH SPECIFICATION

List of IT Equipment/Accessories

Update

S. No	Name of Item
1.	24" LED TV (A Grade) with Original Wall Mount Stand (Guangdong, Haina, Ghangzhou, TCL)– Equivalent to Standard Brands
2.	28" LED TV (A Grade) with Original Wall Mount Stand (Guangdong, Haina, Ghangzhou, TCL)– Equivalent to Standard Brands
3.	30" LED TV (A Grade) with Original Wall Mount Stand (Guangdong, Haina, Ghangzhou, TCL)– Equivalent to Standard Brands
4.	32" LED TV (A Grade) with Original Wall Mount Stand (Guangdong, Haina, Ghangzhou, TCL)– Equivalent to Standard Brands
5.	43" LED TV (A Grade) with Original Wall Mount Stand (Guangdong, Haina, Ghangzhou, TCL)– Equivalent to Standard Brands
6.	48" LED TV (A Grade) with Original Wall Mount Stand (Guangdong, Haina, Ghangzhou, TCL)– Equivalent to Standard Brands
7.	55" LED TV (A Grade) with Original Wall Mount Stand (Guangdong, Haina, Ghangzhou, TCL)– Equivalent to Standard Brands
8.	65" LED TV (A Grade) with Original Wall Mount Stand (Guangdong, Haina, Ghangzhou, TCL)– Equivalent to Standard Brands
9.	75" LED TV (A Grade) with Original Wall Mount Stand (Guangdong, Haina, Ghangzhou, TCL)– Equivalent to Standard Brands
10.	LED TV LG/Samsung/Sony/Haier Original 32" with Original Wall Mount Stand or Equivalent
11.	LED TV LG/Samsung/Sony/Haier Original 43" with Original Wall Mount Stand or Equivalent
12.	LED TV LG/Samsung/Sony/Haier Original 48" with Original Wall Mount Stand or Equivalent
13.	LED TV LG/Samsung/Sony/Haier Original 55" with Original Wall Mount Stand or Equivalent
14.	LED TV LG/Samsung/Sony/Haier Original 65" with Original Wall Mount Stand or Equivalent
15.	LED TV LG/Samsung/Sony/Haier Original 75" with Original Wall Mount Stand or Equivalent
16.	Electric Air Blower 220V – Equivalent to Standard Brands
17.	Handheld Portable Vacuum Cleaner 220V
18.	Logitech C930E BUSINESS WEBCAM or Equivalent
19.	Logitech BCC950 BUSINESS WEBCAM or Equivalent
20.	Webcam PK-940HA or Equivalent
21.	USB 3.0 Portable CD/DVD Writer (±RW) – Equivalent to Standard Brands
22.	Multimedia Projector 3000 min -3500 max Lumens, DLP, Optical (1.2x or higher), HDMI(x2) PG705HD, VPL-EX575 Equivalent or higher (Sony, Hitachi, NEC, Dell, View Sonic, Vivitec, Acer, Panasonic, BenQ)
23.	Vissan K21, K36, Equivalent or Higher
24.	USB 3.0 to SATA/IDE Adapter for 2.5" & 3.5" Hard Disk Drives – Equivalent to Standard Brands
25.	USB 3.0 to SATA III Cable Adapter for 2.5" External SSD/HDD – Equivalent to Standard Brands
26.	USB 3.0 to SATA 2.5" Converter with Enclosure – Equivalent to Standard Brands
27.	PCIe to NVMe Drive Adapter Kit – Equivalent to Standard Brands
28.	HDD Duplicator for 2.5" & 3.5" Drives – Equivalent to Standard Brands
29.	3.5" HDD to USB Converter Kit
30.	Contact Cleaner Spray (390ml) – Equivalent to Standard Brands
31.	Phillips Degreaser Spray (C1F2CH3) – Equivalent to Standard Brands
32.	WD 40 Spray 330/300ML
33.	Glint Spray for Glass
34.	Glint Spray for Surface

35.	Screen Cleaner Spray
36.	AUX cable Custom made high quality 10M
37.	3-Axis Barcode Scanner – Honeywell Orbit Equivalent to Standard Brands
38.	Flatbed Document Scanner (Legal Size) – Equivalent to HP ScanJet Pro 2500 f1 or Higher
39.	A3 Flatbed Scanner – Equivalent to Standard Brands
40.	ADF Scanner A4, up to 75ppm/250ipm – Equivalent or Higher
41.	Thermal Printer (Direct Thermal or Thermal Transfer), ZPL & HMIS Compatibility, 64 MB Flash or higher and 128 MB SDRAM or higher,
42.	Fire extinguisher ball
43.	Power Adaptor 9/12v,2A (water proof)
44.	Power Adaptor 9/12v,2A
45.	Power Adaptor 9/12v,4A
46.	Power Adaptor 9/12v,6A
47.	IP55/IP67 Network Box
48.	USB Key board Branded, Standard with Wire or equivalent
49.	USB Mouse Optical Branded, Standard Wire or equivalent
50.	Wireless mouse & keyboard Logitech COMBO MK320 or equivalent
51.	Wireless Optical mouse M185 or equivalent
52.	Wireless Optical mouse M215 or equivalent
53.	HDMI to VGA converter
54.	VGA to HDMI converter
55.	DVI-D to HDMI dongle
56.	DP to HDMI dongle
57.	Stanley Cordless drill machine with complete screw driver, drill bit set, or equivalent,
58.	Stanley screw drivers kit 20+ Pc, or equivalent or higher.
59.	Printer USB cables
60.	CMOS battery cells, Pack 10P
61.	Serial port card 9 pin, single Port
62.	Serial port card 9 pin, Dual Port
63.	LAN Card PCI-E dual Port 1G
64.	LAN card PCI-E Single Port 1G
65.	High rang WIFI catcher 150mbps with dual antenna PCI-e, fixed
66.	High rang WIFI catcher 300mbps with dual antenna PCI-e, fixed
67.	High rang WIFI catcher 150mbps with dual antenna PCI-e, detachable
68.	High rang WIFI catcher 300mbps with dual antenna PCI-e, detachable
69.	High rang USB WIFI catcher 300mbps with antenna Derachable
70.	High rang USB WIFI catcher 300mbps with antenna Fixed
71.	Power Supply HP elite desk 800 G1 tower
72.	Power Supply for i3 OptiPlex 3046 & i7 OptiPlex 3040, 240W
73.	HDD Internal 1 TB Sata
74.	HDD Internal 2 TB Sata
75.	HDD Internal 3 TB Sata
76.	HDD Internal 4 TB Sata
77.	HDD Internal 8 TB Sata
78.	HDD Internal 2TB Surveillance Grade Sata
79.	HDD Internal 4TB Surveillance Grade Sata
80.	HDD Internal 8TB Surveillance Grade Sata

81.	HDD External 1 TB USB-3/3.1
82.	HDD External 2 TB USB-3/3.1
83.	HDD External 4 TB USB-3/3.1
84.	HDD External 8 TB USB-3/3.1
85.	SSD HDD SFF 128 GB i.e. ADATA, SAMSUNG, Hikvision, Kingston, WD equivalent or higher
86.	SSD HDD SFF 240 GB i.e. ADATA, SAMSUNG, Hikvision, Kingston, WD equivalent or higher
87.	SSD HDD SFF 512 GB i.e. ADATA, SAMSUNG, Hikvision, Kingston, WD equivalent or higher
88.	SSD HDD SFF 1 TB i.e. ADATA, SAMSUNG, Hikvision, Kingston, WD equivalent or higher
89.	NVMe SSD drive 240GB i.e. ADATA, SAMSUNG, Hikvision, Kingston, WD equivalent or higher
90.	NVMe SSD drive 512GB i.e. ADATA, SAMSUNG, Hikvision, Kingston, WD equivalent or higher
91.	NVMe SSD drive 1TB i.e. ADATA, SAMSUNG, Hikvision, Kingston, WD equivalent or higher
92.	NVMe Kit caddy
93.	M2 SSD drive 240GB or higher
94.	M2 SSD drive 512GB or higher
95.	M2 SSD drive 1TB or higher
96.	Enterprise Grade HDD 8TB SATA
97.	EVS Drive 8TB Hot Swappable
98.	NL-SAS Drive 4 TB
99.	Mouse Pad with Wrist Support
100.	Network Storage Box – NAS 4 Drive Supported up to 16TB Each with Raid 0,1,2,3,5,6,10
101.	Spray Glint
102.	CD-R Box
103.	DVD RW Box
104.	Power Adapter for thermal Printer 12V 1.5Amp & 24 V 2.5 am
105.	Power adapter for laptop 19.5V 3.3A MP Universal
106.	Power adapter for Lenovo laptop 65W, 2 pins
107.	Laptop Li-ion Battery 3880 mAh, 12.6 v (Lenovo ThinkPad E590) equivalent or higher
108.	Laptop Li-ion Battery 3880 mAh, 12.6 v (Lenovo ThinkBook 15 G2 ITL) equivalent or higher
109.	Laptop Dell i7 5570 equivalent or higher
110.	VGA Splitter 4 Ports
111.	Ryobi 18V One+ Performance Hand Vacuum PCL702 Kit equivalent or higher
112.	4 Port PCI Serial Adapter Card
113.	2 Port PCI Serial Adapter Card
114.	USB 3.0/3.1 DVD RW
115.	USB Splitter 4, 6 ports 3.0/3.1
116.	Head phones Logitech with Mic
117.	Head phones Logitech USB, equivalent or higher
118.	LED 24" LG, HP, Dell, Samsung, HDMI, DP, VGA, USB 3.1 equivalent or higher
119.	LED 27" LG, HP, Dell, Samsung, HDMI, DP, VGA, USB 3.1 equivalent or higher
120.	LED Screen Lenovo AIO V530 23.8"
121.	Hard Drive for Dell PowerEdge R820 - SSD 480GB
122.	Hard Drive for Dell PowerEdge R820 - 10k SAS 600GB
123.	Hard Drive for Dell PowerEdge R820 - 15K SAS 600GB
124.	RAM for Dell PowerEdge R820 16GB
125.	RAM for Dell PowerEdge R820 32GB
126.	Hard Drives for Lenovo System x3650 M5 - SAS 900 01GV036

127.	Hard Drives for Lenovo DAS 1212 - 4TB SAS 4TB 01DC489
128.	Hard Drives for Lenovo DAS 1212 - 16TB
129.	Hard Drives for Lenovo DAS 1212 - 32 TB
130.	battery 12v 7Ah
131.	battery 12v 9Ah
132.	battery 12v 34W, Lead-acid battery
133.	battery 12v 14Ah, Lead-acid battery
134.	battery 12v 20Ah, Lead-acid battery
135.	battery 12v 40Ah, Lead-acid battery
136.	8 Port PoE Switch, Unmanaged Power Over Ethernet Switch for IP Cameras with 2 Uplink Ports, 120W
137.	RFID ZKTeco K50 with Complete Set equivalent or higher
138.	RFID ZKTeco Mb360 with Complete Set equivalent or higher
139.	RFID ZKTeco Mb20 with Complete Set equivalent or higher
140.	RFID ZKTeco F22 With Complete Set equivalent or higher
141.	ZKTeco Speed Face -V5L
142.	HDMI Splitter 4 Ports
143.	PDU 16+A 8port
144.	PDU 16+A 4port
145.	USB Sound Card 5.1Ch
146.	PCIe Sound Card for Dell OptiPlex PC – Equivalent to Standard Brands
147.	UHF/VHF wireless mic Range 30M
148.	UHF/VHF dual wireless mic Range 30M
149.	Lenovo AIO 90/120W Charger
150.	ipc-HFW1431S1P-S4 EVS compatible or Equivalent
151.	65W USB Type-C Charger
152.	DP cables for LED/LCD Monitors high quality 1M
153.	German / UK Power Cord with Fuse 10AMP, UK 3Pin Plug to C-13 (Standard), 3 Meter
154.	German / UK Power Cord with Fuse 10AMP, UK 3Pin Plug to C-14 (UPS Connector Male), 3 Meter
155.	German / UK Power Cord with Fuse 10AMP, 2/3 Pin Plug to C-15 (With Cut), 3 Meter, Branded
156.	German / UK Power Cord with Fuse 10AMP, 2/3 Pin Plug to C-5 (Adapter), 3 Meter, Branded
157.	German / UK Power Cord, 2/3 Pin Plug to C-13 (Standard), 3 Meter, Branded
158.	German / UK Power Cord, 2/3 Pin Plug to C-13 (Standard), 3 Meter, Branded
159.	German / UK Power Cord, 2/3 Pin Plug to C-14 (UPS Connector Male), 3 Meter, Branded
160.	German / UK Power Cord, 2/3 Pin Plug to C-15 (With Cut), 3 Meter, Branded
161.	German / UK Power Cord, 2/3 Pin Plug to C-5 (Adapter), 3 Meter, Branded
162.	German / UK Power Cord best quality, Branded, 5Meter
163.	German / UK Power Cables best quality, Branded Type C5 (Laptop)
164.	Male to female power cables, 10AMP, Branded, 2M
165.	Male to female power cables, 10AMP, Branded, 3M
166.	Male to female power cables, 10AMP, Branded, 5M
167.	Male to female power cables, 10AMP, Branded, 10 M
168.	Male power cord splitter cable Branded
169.	Female power cord splitter cable Branded
170.	CD Drive Caddy Kit
171.	VGA Cable, 1.5 Meter, Standard Connector 15Pin Type DE-15 Male

172.	VGA Cable, 2 Meter, Standard Connector 15Pin Type DE-15 Male
173.	VGA Cable, 3 Meter, Standard Connector 15Pin Type DE-15 Male
174.	VGA Cable, 5 Meter, Standard Connector 15Pin Type DE-15 Male
175.	VGA Cable, 10 Meter, Standard Connector 15Pin Type DE-15 Male
176.	VGA Cable, 15 Meter, Standard Connector 15Pin Type DE-15 Male
177.	HDMI Cable, 1 Meter, Standard 4K
178.	HDMI Cable, 2 Meter, Standard 4K
179.	HDMI Cable, 3 Meter, Standard 4K
180.	HDMI Cable, 5 Meter, Standard 4K
181.	HDMI Cable, 10 Meter, Standard 4K
182.	HDMI Cable, 15 Meter, Standard 4K
183.	HDMI Cable, 20 Meter, Standard 4K
184.	CISCO 2960 Series Switch 24 Port PoE, 1G with 1G SFP or Equivalent
185.	Media Convertor 1G Fiber to Ethernet
186.	Universal Power Adapter for Laptops
187.	USB 3/3.1 - 64 GB i-e HP / SAMSUNG / ADATA or higher
188.	USB 3/3.1 - 128 GB i-e HP / SAMSUNG / ADATA or higher
189.	Mikrotik-CCR1009-7g-1c or Equivalent
190.	TS-8-PRO or Equivalent
191.	Air Gateway Airmax UBNT(Ubiquiti)INS-8023AF-O Accessories UBNT(Ubiquiti) or Equivalent
192.	Sector AM-M521-60-AC Airmax UBNT(Ubiquiti) or Equivalent
193.	ubiquiti LAP-120 or Equivalent
194.	UAP Mesh or Equivalent
195.	Power Beam M5 AC 2nd Gen 29dBi or Equivalent
196.	Power Beam M5 AC 2nd Gen 20dbi or Equivalent
197.	UAP AC IW or Equivalent
198.	Surge Protector 4 Port
199.	Analogue telephone Panasonic kxt944 or Equivalent
200.	Drop Wire
201.	10P PVC Wire
202.	02P PVC Wire
203.	Surge Protector 8 Port
204.	Battery 12 v 80AMP
205.	Crimping Tool (Best Quality)
206.	Cable Tester (Best Quality)
207.	Connector RJ-45 (Box has 100 Qty of Connectors)
208.	LAN JOINTER RJ45
209.	Ducts - 16/25
210.	Ducts - 16/38
211.	Ducts - 40/40
212.	Ducts - 60/60
213.	Flexible Pipe - ¾" (1 bundle = 150 Feet Length)
214.	Flexible Pipe - 1" (1 bundle = 150 Feet Length)
215.	Flexible Pipe - 1.5" (1 bundle = 100 Feet Length)
216.	Flexible Pipe - 2" (1 bundle = 100 Feet Length)
217.	PVC Pipe 1-1/2 Inch (Each 10 feet length)

218.	PVC Pipe 1 Inch (Each 10 Feet Length)
219.	PVC Pipe 2 Inch (Each 10 Feet Length)
220.	PVC Pipe 1-1/2 Inch – Socket
221.	PVC Pipe 1 Inch – Socket
222.	PVC Pipe 2 Inch – Socket
223.	Patch Panel - 24 Port (With I/O) Branded
224.	Screws 1"
225.	Screws 1.5"
226.	Screws 2"
227.	Nails - 1" steel
228.	Nails - 1.5" steel
229.	Nails 2" steel
230.	Cat6 Network Patch Cords (1Mtr) Branded
231.	Cat6 Network Patch Cords (3Mtr) Branded
232.	Cat6 Network Patch Cords (5Mtr) Branded
233.	Cable Manager
234.	Cabinets 2U Branded
235.	Cabinets 4U Branded
236.	Cabinets 6U Branded
237.	Cabinets 12U Branded
238.	Cabinets 15U Branded
239.	Cabinets 18U Branded
240.	Cabinets 19U Branded
241.	Cabinets 22U Floor Mounted Branded
242.	IO (Input/ Output), Branded
243.	Faceplate Single Shutter, Branded
244.	Faceplate Dual Shutter, Branded
245.	Cat 6 STP Cable Roll (305 Meter), Branded
246.	Cat 6 UTP Cable Roll (305 Meter), Branded
247.	Back Box
248.	Single Mode - Optical Fiber Patch Cord, LC - LC - 1 Mtr
249.	Single Mode - Optical Fiber Patch Cord, LC - LC - 3 Mtr
250.	Single Mode - Optical Fiber Patch Cord, LC - LC - 5 Mtr
251.	Single Mode - Optical Fiber Patch Cord, LC - LC - 10 Mtr
252.	Single Mode - Optical Fiber Patch Cord, LC - LC - 15 Mtr
253.	Single Mode - Optical Fiber Patch Cord, SC - SC - 1 Mtr
254.	Single Mode - Optical Fiber Patch Cord, SC - SC - 3 Mtr
255.	Single Mode - Optical Fiber Patch Cord, SC - SC - 5 Mtr
256.	Single Mode - Optical Fiber Patch Cord, SC - SC - 10 Mtr
257.	Single Mode - Optical Fiber Patch Cord, SC - SC - 15 Mtr
258.	Wi-Fi 6-compatible Controller AC6605 supports AirEngine 6761-21 access points.
259.	IP Phone with all basic feature and compatible with Huawei (UC-1981)
260.	RFID Door Locks (Attendance Machine, Magnetic door lock with button upgraded model)
261.	Motion sensor Lights

Justification:

All the above items are required - time to time - for different locations and up gradation of current equipment.

10. REDRESSING OF GRIEVANCES

1. The purchaser shall constitute a committee comprising of disagreed & notified by the competent authority proper powers and authorizations to address the complaints of bidders that may occur prior to the entry into force of the procurement contract.
2. Any bidder feeling aggrieved by any act of the purchaser after the submission of his bid may lodge a written complaint concerning his grievances not later than 03 days after the announcement of the bid evaluation report.
3. The grievance redressed Officer shall investigate and decide upon the complaint within 03 days of the receipt of the complaint. The report along with decision shall be forwarded to the purchaser officer within the prescribed period.
4. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.
5. Note: Grievance notified & designated who can invite appropriate official as co-opted member for grievance.

11. Evaluation Criteria:

1. The Firm/ Contractor quoting the lowest rates at each total amount will be selected and contract will be awarded.
2. Bids having items not fulfilling in compliance with required specifications shall be treated as non-responsive bids.
3. The Bidder shall provide an undertaking that the bidder has not been declared black listed by any Govt/Semi- Govt institution on stamp paper Mandatory.

4. **NOTE: Brand Name, Complete Specification of product, Pack Size & Price is Mandatory against each item. Any item without mentioning the above will be consider rejected.**

5. **Samples may be called for all the above items if required:**

12. Award of Contract:

Contracts shall be confirmed through a written agreement signed by the successful bidder and the LRH/MTI Peshawar.

13. Payment:

- a. No advance payment will be permissible.
- b. The payment will be made after successful supply, installation/inspection and test run of all requisite items.